

SMART LIGHTING SOLUTIONS

Tailored to your needs





FOOD AUTONOMY LIGHTING THE WAY TO A BETTER TOMORROW

As an innovative company, Food Autonomy is convinced that the key to success is the application of new technologies.

Having in-depth knowledge in the field of lighting techniques, we are focusing specifically on greenhouse lighting and vertical farms.

Our aim is to offer world-class quality LED lighting and smart-solutions to growers and farmers for use in their precision indoor farming operations.



WHAT WE OFFER TO OUR CUSTOMERS



Customized LED solutions

Light tailored to your needs
Design and develop together
Well-designed lighting plan
Simple installation



High quality from Europe

Compliance with EU standards Highest quality components Outstanding product service Long term warranty, after-sales



Expertise & Research


Qualified engineers, designers Extensive plant care knowledge Partnership in research projects Opportunity to use R&D Vertical Farm



SMART LED SOLUTIONS offered by Food Autonomy

Several important factors need to be considered when selecting the lighting system for your crop. We are highlighting the main advantages of using our smart solutions, but our experts are always available to explain and tell you more.

NEW FEATURES





High luminous efficacy



Unlimited spectral variations



Energy efficiency



Long lifetime



Effective heat management



Uniform illumination



Durability



SMART GREENHOUSE SOLUTIONS

by Food Autonomy

Food Autonomy products are designed for installations in new or already established greenhouses, growing vegetables, fruits and flowers.







Flexi-Grow Toplight

The Flexi-Grow with its outstanding PPF reaching up to 4270 μ mol/s, and 3.8 μ mol/J efficacy is the ideal choice for the replacement of the traditional 1000W High Pressure Sodium lamp. Similarity in the mounting and cabling options allow smooth transition from the existing HPS lighting system into LED based solution offered by Food Autonomy.

- up to 4-channel & wireless dimming option
- flexible spectrum, output and efficiency
- reaches 4.2 μmol/J when dimmed to 50%
- light level up to 4270 μmol/s
- fewer luminaires double the light output of an HPS
- wide beam outstanding uniformity
- up to 1200W





LEDFan Toplight

LEDFan's revolutionary design provides better heat management for greenhouses. Owing to the built-in fans, cold air is drawn from the top and gets warmed up by the heat loss of the LED chips and drivers. LEDFan directs this warm air downwards, towards the crop, meanwhile blocking the rising heat from the heat pipes, thus creating a warm air blanket above the plants. Besides saving on lighting and heating costs, it increases plant growth and yield by lowering humidity, which reduces CO2 loss, nutrient deficiencies, and the risk of plant diseases.

- 4-channel & wireless dimming option
- better climate control lower heating costs
- efficacy up to 3.8 μmol/J lower lighting cost
- improved photosynthesis by lower humidity
- reduced CO2 loss and risk of plant diseases
- up to 1200W & PPF 4300 µmol/s





Toplight Research Module

Our Research Toplight allows users to experiment with different mix of wavelengths and light intensity to define and finetune the most optimal light for given phenophases of all kinds of autotroph organisms to achieve the targeted quantity and quality of primary and secondary metabolites.

- 4-5 channel options with 0-100% dimmability
- experimenting with different mix of wavelengths and light intensity
- real time & pre-defined growing recipe management
- remote control
- uniform light distribution



Interlight

The Interlight LED solutions serve as a supplementary light source in greenhouses to light the lower, shadowed parts of the canopy. Growers can choose from PPF 141-420 μ mol/s modules, supplying the high wired plants' entire surface with proper amount of light to maximize yields and ultimately improve taste and nutritional value of horticultural produces.

- lighting the lower parts of the canopy
- uniform sidewards light distribution
- PPF 141 420 μmol/s modules
- efficacy up to 3.5 μmol/J
- low installation costs with pluggable daisy-chain connection
- ease of maintenance





SMART VERTICAL FARM SOLUTIONS

by Food Autonomy

The LED VF lightbar is a very flexible and highly efficient modular solution specifically designed for indoor multilayer growing facilities.







VERTICAL FARM

Vertical Farm Lightbar options

Fixed spectrum or 4-channel controllable lightbars

Food Autonomy's LED lightbar solution was designed for indoor multilayer growing facilities. The highly efficient modular system is customizable to provide the most suitable amount of photosynthetically active photons and light uniformity to ensure the best results.

- wide beam optics for high uniformity
- various lengths up to 2.5 m
- customizable spectrum & output
- high efficacy up to 3.5 μmol/J
- advanced control system
- 0-100% dimmability







Vertical Farm Lightbar options

Research module up to 8-channel variable spectrum

For research purposes, Food Autonomy offers lightbars up to 8 channels. These controllable units allow users to mix the wavelengths within the 400-750nm range, and dim each channel 0-100% to set the most versatile spectral variants and PPF density. The software can operate the lightbars remotely, which enables growers or researchers to manage the growing recipe in real time or via pre-defined programs and timed dimming to provide the most optimal light conditions in the different growth phases of the crops.

- controllable spectrum and light intensity
- creates the most versatile spectral variations
- high system efficacy >3 µmol/J
- wireless control
- data collection & analysis
- equipped with pure color high power LEDs





CULTIMESH

Smart Wireless Control Solution by Food Autonomy

CultiMesh is a great enhancement to our LED luminaires offering practical functions with the growers' needs in mind. The affordable system is easy to install and operate, while it offers numerous features to assist the daily operations of indoor growing facilities.

USING OUR SYSTEM OFFERS THE ABILITY TO:



control multiple channels to adjust the spectrum according to the growth phases of the crop



dim to provide much better uniformity than half light being operated in checkerboard layout



dim to improve LED efficiency, which results in increased energy saving



have lower installation costs versus wired solutions

adjust the spectrum to optimize lighting for plants and employees






Large-scale wireless mesh network capable of controlling thousands of luminaires



- high reliability without single-pointof-failure
- independent operation is also possible
- rapid commissioning



Wired connection

Wireless connection



CultiMesh Wireless mesh platform

4-channel lighting control (enables independent light control per channel)

Lighting schedule with multiple recipes & grow cycles for the full harvesting period Maximized lamp
output using existing
power on the operated
channel

KEY FEATURES

- detailed logs on system operation
- email-based notifications of lighting malfunction with exact positions
- monitoring of driver temperature, consumption, working hours

ADDITIONAL: HIGH-PRECISION "GPS"-POSITIONING SYSTEM

- monitoring working hours and safety of employees with tags
- tracking robots with portable tags for a more efficient operation







